

**ENVIRONMENTAL MITIGATION MEASURES**  
**AND MONITORING PROGRAM**


1. **Project Title:** Augusta Recycled Water Pipeline (MNWD Job No. 2009.003)
2. **Lead Agency Name and Address:** Moulton Niguel Water District (MNWD)  
27500 La Paz Road  
Laguna Niguel, CA 92677
3. **Contact Person and Phone Number:** Matt Collings, (949) 425-3552
4. **Project Location:** Along Augusta extending from Niguel Road for approximately 3,200-feet, including a portion along Clubhouse Drive near the intersection with Glen Abby Drive within the City of Laguna Niguel, CA
5. **Description of Project:** The project constructs approximately 3,200 linear feet of C-900 PVC recycled water main to provide additional recycled water service.
6. **Describe Mitigation Measures and a Description of Proposed Monitoring:**
  - A. **Hydrology and Water Quality** – The proposed project will convey recycled water. Any flushing water for chlorination and disinfection of the proposed facilities will be discharged into a sanitary sewer and not into a storm drainage or natural drainage channel. District personnel will coordinate and monitor flushing during construction.
  - B. **Transportation/Traffic** – The District will implement traffic control measures per the latest edition of the W.A.T.C.H. manual and per the City of Laguna Niguel for the temporary traffic impacts during construction activities. The proposed traffic control will be installed as directed by the City of Laguna Niguel encroachment permit and on-site inspector. The Contractor will be responsible for implementing the traffic control measures to meet these requirements.

As part of the adoption of this Mitigated Negative Declaration, the Board of Directors of the Moulton Niguel Water District, in accordance with the provisions of the California Environmental Quality Act, has adopted the above-described mitigation measures and monitoring program.

The monitoring program shall include appointment of a person(s) to monitor the project, so as to ensure compliance with the mitigation measures necessary for this project, as set forth herein. The person(s) so appointed shall ensure that the mitigation measures and monitoring program adopted as part of this Mitigated Negative Declaration are complied with satisfactorily.

EXHIBIT "C-2"  
Rev.2/2001

BAW&G/PBG/sb/34388  
MNWD CEQA/12004 F 1.5

  
Secretary/Assistant Secretary

MATT COLLINGS  
Person(s) responsible for Monitoring Program